

# Material Safety Data Sheet

## Section 1: Product Information

**Manufacturer's Name / Address:**

Raeco Inc.  
9130 15<sup>th</sup> Place South, Ste F  
Seattle, WA 98108

**Info. Phone:**

206-763-1335

**Emergency Phone:**

206-763-1336

**Trade Names:**

Raeco SkimWall

**Chemical Family:**

Cementitious Mortar

**Intended Use:**

Wall patching

**Initial Issue Date:** 02/12/08

**Revision Date:** NA

**Prepared By:** David Landrey

## Section 2: Hazardous Ingredients

<u>Hazardous Component</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>Other Limits</u>	<u>% (Optional)</u>
Portland Cements (65977-15-1)	ND	ND	ND	9-50
Silicon Dioxide	10mg/m <sup>3</sup>	10mg/M <sup>3</sup>	ND	0-75
Calcium Carbonate (1317-65-3)	ND	ND	ND	0-85

**VOC of Component:** 0g/L

**VOC As Applied:**0g/L

## Section 3: Physical Data

**Boiling Point (°C):** NA

NA

**Specific Gravity:** 2.9

2.9

**Vapor Pressure:** NA

NA

**Melting Point:** NE

NE

**Vapor Density:** NA

NA

**Evaporation Rate:**

NA

(Air = 1)

(Butyl Acetate = 1)

**Solubility in Water:** Slight

Slight

**pH:**

Alkaline when wet

**Freezing Point** NA

NA

**Coefficient of Oil/Water Distribution:**

ND

**Appearance and Odor:**

White or gray powder with no characteristic odor.

**Odor Threshold:**

NE

## Section 4: Fire and Explosion Hazard

**Flash Point (°C):** NA

NA

**Conditions of Flammability:** NA

NA

**Flammable Limits:**

LEL: NA UEL: NA

**Autoignition Temperature (°C):** NA

NA

**Hazardous Combustion Products:** None known.

None known.

**Sensitivity to Impact:** None

None

**Sensitivity to Static Discharge:** None

None

**Extinguishing Media:** NA

NA

**Special Firefighting Procedures:** NA

NA

**Unusual Fire and Explosion Hazards:**

None

## Section 5: Health Hazard Data

**Primary Routes of Entry:**  Eye  Inhalation  Skin Contact  Ingestion

**Overexposure Effects:** Respiratory, skin, and eye irritation.

**Conditions Aggravated by Exposure:** Asthma, pre-existing skin disorders.

### Health Hazards (Acute and Chronic Exposures):

#### **Eyes**

Acute:

Drying, irritation, and redness.

Chronic:

ND

#### **Skin Contact**

Acute:

Drying, irritation, redness. Prolonged and repeated exposure to wet material may cause painful rash.

Chronic:

Allergic dermatitis may develop in hypersensitive individuals.

#### **Skin Absorption**

Acute:

Not absorbed through skin.

Chronic:

NA

#### **Inhalation**

Acute:

Irritation, labored breathing, drying of the nose and throat.

Chronic:

Excessive inhalation may result in respiratory disease, including silicosis, pneumoconiosis, and pulmonary fibrosis. Symptoms are progressive with continued exposure and increasing age.

#### **Ingestion**

Acute:

Alkali burns of the mouth, throat, and gastrointestinal tract.

Chronic:

ND

### Emergency and First Aid Procedures:

#### **General:**

If unconscious, provide artificial respiration. Seek medical assistance as necessary. Treat symptomatically.

#### **Eyes:**

Flush with clean water for at least 15 minutes while holding the eyelids open. Obtain medical attention.

#### **Skin:**

Remove contaminated clothing immediately. Wash effected areas with soap and water for at least 15 minutes. Seek medical attention if symptoms persist.

#### **Inhalation:**

Move effected person from risk of further exposure. Administer oxygen or artificial respiration as necessary. Obtain medical attention.

#### **Ingestion:**

Do not induce vomiting. Give 250ml of milk or water to drink. DO NOT GIVE LIQUIDS TO AN UNCONCIOUS PERSON. Consult physician.

### Carcinogenic Data:

NTP: ND

OSHA: Suspected

IARC: Yes

### Toxicological Data:

ND

## Section 6: Reactivity Data

**Chemical Stability:**  Stable  Unstable

**Conditions to Avoid:** High humidity.

**Incompatibility (Materials to Avoid) :** Fluorine, acids, water.

**Hazardous Decomposition Products:** Calcium Oxide.

**Hazardous Polymerization (Reactivity) :**  May Occur  Will Not Occur

## Section 7: Spill and Leak Procedures:

**Steps to be Taken in Case of Material Release or Spillage:** Equip cleaning crew with protective clothing inclusive of rubber boots and gloves, long sleeve shirts and pants. Contain spill. Cover with absorbent material. Collect material in open containers.

**Waste Disposal Methods:** Dispose at a licensed, permitted, waste disposal facility in accordance with federal, state, and local regulations.

**Ecological Information:** ND

**Ecotoxicity:** ND

## Section 8: Special Protection Information

**Engineering Controls:** Local exhaust and general ventilation is recommended

**Respiratory Protection:** NIOSH approved respirator must be worn. N-95 designation.

**Protective Gloves:** Latex glove or neoprene rubber must be worn.

**Eye Protection:** Chemical goggles or full-face shield must be worn.

**Other protective Equipment:** Long sleeve shirts and pants must be worn. Eye wash station or shower should be locally accessible.

## Section 9: Handling and Storage

**General:** Store away from moisture.

## Section 10: Supplemental Information

Health: 2

Flammability: 0

Reactivity: 0

**DOT Proper Shipping Name:** Not regulated

**Hazard Class :** NA

**UN Number:** NA

**Packing Group:** NA

**IMO Shipping Data:** ND

**ICAO/IATA Shipping Data :** ND

**TSCA (Toxic Substance Control Act) :**

All substances contained in this product are listed in the TSCA inventory.

**CERCLA (Comprehensive Response Compensation and Liability Act):**

None.

**SARA Title III:**

ND

**California Proposition 65 :** Below is a list of compounds known to the State of California to cause cancer, birth defects, or other reproductive harm:

Silicon Dioxide

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects, which may be caused by exposure to our products. Customers and users of this product must comply with all applicable health and safety laws, regulations and orders.